


## Amendments to the Claims

1.- 15. (Canceled)

16. (Withdrawn) A compound of structural formula II:



or a pharmaceutically acceptable salt thereof; wherein

each n is 0, 1, or 2;

each p is 0, 1, or 2;

R<sup>8</sup> is naphthyl or heteroaryl wherein heteroaryl is selected from the group consisting of

pyridyl,  
thienyl,  
furyl,  
pyrazolyl,  
thiazolyl,  
oxazolyl,  
imidazolyl,  
indolyl,  
benzothiophenyl,  
benzofuryl, and  
benzimidazolyl;

in which naphthyl and heteroaryl are substituted with one to three substituents independently selected from R<sup>3</sup>, R<sup>4</sup>, and R<sup>5</sup>;

R<sup>2</sup> is methyl or cyclopropyl;

R<sup>3</sup>, R<sup>4</sup>, and R<sup>5</sup> are each independently selected from the group consisting of

hydrogen,  
formyl,  
C<sub>1-6</sub> alkyl,  
C<sub>2-6</sub> alkenyl,  
(CH<sub>2</sub>)<sub>n</sub>-aryl,  
(CH<sub>2</sub>)<sub>n</sub>-heteroaryl,

$(CH_2)_n$ -heterocyclyl,  
 $(CH_2)_n$ C<sub>3-7</sub> cycloalkyl,  
halogen,  
OR<sup>7</sup>,  
 $(CH_2)_n$ N(R<sup>7</sup>)<sub>2</sub>,  
cyano,  
 $(CH_2)_n$ CO<sub>2</sub>R<sup>7</sup>,  
NO<sub>2</sub>,  
 $(CH_2)_n$ NR<sup>7</sup>SO<sub>2</sub>R<sup>6</sup>,  
 $(CH_2)_n$ SO<sub>2</sub>N(R<sup>7</sup>)<sub>2</sub>,  
 $(CH_2)_n$ S(O)<sub>p</sub>R<sup>6</sup>,  
 $(CH_2)_n$ SO<sub>2</sub>OR<sup>7</sup>,  
 $(CH_2)_n$ NR<sup>7</sup>C(O)N(R<sup>7</sup>)<sub>2</sub>,  
 $(CH_2)_n$ C(O)N(R<sup>7</sup>)<sub>2</sub>,  
 $(CH_2)_n$ NR<sup>6</sup>C(O)R<sup>6</sup>,  
 $(CH_2)_n$ NR<sup>6</sup>CO<sub>2</sub>R<sup>7</sup>,  
O(CH<sub>2</sub>)<sub>n</sub>C(O)N(R<sup>7</sup>)<sub>2</sub>,  
CF<sub>3</sub>,  
CH<sub>2</sub>CF<sub>3</sub>,  
OCF<sub>3</sub>,  
OCHCF<sub>2</sub>, and  
OCH<sub>2</sub>CF<sub>3</sub>;

wherein aryl, heteroaryl, cycloalkyl, and heterocyclyl are unsubstituted or substituted with one to three substituents independently selected from halogen, hydroxy, C<sub>1-4</sub> alkyl, trifluoromethyl, trifluoromethoxy, and C<sub>1-4</sub> alkoxy; and wherein any methylene (CH<sub>2</sub>) carbon atom in R<sup>3</sup>, R<sup>4</sup>, and R<sup>5</sup> is unsubstituted or substituted with one to two groups independently selected from halogen, hydroxy, and C<sub>1-4</sub> alkyl; or two substituents when on the same methylene (CH<sub>2</sub>) carbon atom are taken together with the carbon atom to which they are attached to form a cyclopropyl group;

each R<sup>6</sup> is independently selected from the group consisting of

C<sub>1-8</sub> alkyl,  
 $(CH_2)_n$ -aryl,  
 $(CH_2)_n$ -heteroaryl, and  
 $(CH_2)_n$ C<sub>3-7</sub> cycloalkyl;

wherein alkyl and cycloalkyl are unsubstituted or substituted with one to five substituents independently selected from halogen, oxo, C<sub>1-4</sub> alkoxy, C<sub>1-4</sub> alkylthio, hydroxy, amino; and

aryl and heteroaryl are unsubstituted or substituted with one to three substituents independently selected from cyano, halogen, hydroxy, amino, carboxy, trifluoromethyl, trifluoromethoxy, C<sub>1-4</sub> alkyl, and C<sub>1-4</sub> alkoxy;

or two R<sup>6</sup> groups together with the atom to which they are attached form a 5- to 8-membered mono- or bicyclic ring system optionally containing an additional heteroatom selected from O, S, and NC<sub>1-4</sub> alkyl; and

each R<sup>7</sup> is hydrogen or R<sup>6</sup>.

17. (Withdrawn) The compound of Claim 16 wherein R<sup>2</sup> is methyl.

18. (Withdrawn) The compound of Claim 16 wherein R<sup>8</sup> is indolyl or pyrazolyl substituted with one to three substituents independently selected from R<sup>3</sup>.

19. (Withdrawn) The compound of Claim 18 wherein R<sup>2</sup> is methyl.

20. (Withdrawn) A compound which is selected from the group consisting of:

4-methyl-3,5-bis[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
4-methyl-3-[4-(methylthio)-2-(trifluoromethyl)phenyl]-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
4-methyl-3-(4-pentylphenyl)-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
3-(2-chlorophenyl)-4-methyl-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
3-(1-methoxy-2-naphthyl)-4-methyl-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
4-[5-(2-chlorophenyl)-4-methyl-4*H*-1,2,4-triazol-3-yl]-1-methyl-1*H*-indole;  
4-[4-methyl-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazol-3-yl]-1-methyl-1*H*-indole;  
3-(2-bromophenyl)-4-methyl-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
3-(7-chloro-1-methoxy-2-naphthyl)-4-methyl-5-[2-(trifluoromethyl)-4*H*-1,2,4-triazole;  
4-[4-methyl-5-(1-methyl-1*H*-indol-4-yl)-4*H*-1,2,4-triazol-3-yl]phenol;  
3-(2,4-dichlorophenyl)-4-methyl-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
3-[2,4-bis(trifluoromethyl)phenyl]-4-methyl-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
3-(2-chlorophenyl)-5-(2,4-dichlorophenyl)-4-methyl-4*H*-1,2,4-triazole;  
3-(2-chloro-4-fluorophenyl)-4-methyl-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
3-(2,4-dichlorophenyl)-4-methyl-5-[2-(methylthio)phenyl]-4*H*-1,2,4-triazole;  
3-(2,4-dichlorophenyl)-4-methyl-5-(2-methylphenyl)-4*H*-1,2,4-triazole;  
3-(2-chlorophenyl)-5-[5-(2-chlorophenyl)-1-methyl-1*H*-pyrazol-3-yl]-4-methyl-4*H*-1,2,4-triazole;  
4-[5-(2-methoxyphenyl)-4-methyl-4*H*-1,2,4-triazol-3-yl]-1-methyl-1*H*-indole;  
4-methyl-3-(2-methyl-1-naphthyl)-5-[2-(trifluoromethyl)phenyl]-4-methyl-4*H*-1,2,4-triazole;


3-(1,4-dichloro-2-naphthyl)-4-methyl-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
3-(4-chloro-1-methoxy-2-naphthyl)-4-methyl-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
3-(1-fluoro-2-naphthyl)-4-methyl-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
*N*-methyl-2-{4-methyl-5-(trifluoromethyl)phenyl}-4*H*-1,2,4-triazol-3-yl} naphthalen-1-amine;  
3,5-bis-(2,4-dimethylphenyl)-4-methyl-4*H*-1,2,4-triazole;  
3-(2,4-dichlorophenyl)-5-[2-(ethylthio)phenyl]-4-methyl-4*H*-1,2,4-triazole;  
3-(2-cyclopropylphenyl)-5-(2,4-dichlorophenyl)-4-methyl-4*H*-1,2,4-triazole;  
3-[(2-chloro-4-(ethylthio)phenyl)]-5-(2-fluorophenyl)-4-methyl-4*H*-1,2,4-triazole;  
3-(2-methoxyphenyl)-4-methyl-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
3-(2,6-dichlorophenyl)-4-methyl-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
3-(2-chlorophenyl)-5-[(2-difluoromethoxy)phenyl]-4-methyl-4*H*-1,2,4-triazole;  
3-(2-chloro-4-fluorophenyl)-5-(2-chlorophenyl)-4-methyl-4*H*-1,2,4-triazole;  
3-(2,4-dichlorophenyl)-5-[(2-difluoromethoxy)phenyl]-4-methyl-4*H*-1,2,4-triazole;  
4-methyl-3-(2-phenoxyphenyl)-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
4-methyl-3-[2-(trifluoromethoxy)phenyl]-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
4-methyl-3-[2-(prop-2-yn-1-yloxy)phenyl]-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
3-{2-[(4-chlorophenyl)thio]phenyl}-4-methyl-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
3-[2-(difluoromethoxy)phenyl]-4-methyl-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
3-(2-ethoxyphenyl)-4-methyl-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
4-methyl-3-(2-propoxyphenyl)-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
3,5-bis(2-chlorophenyl)-4-methyl-4*H*-1,2,4-triazole;  
3,5-bis(2,3-dichlorophenyl)-4-methyl-4*H*-1,2,4-triazole;  
3-(3-chloro-2-naphthyl)-4-methyl-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
3-(5-chloro-6-methoxy-1-naphthyl)-4-methyl-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
3-[2-(4-chlorophenoxy)phenyl]-4-methyl-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
3-[4-(4-chlorophenoxy)phenyl]-4-methyl-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
3-[4-chloro-5-(2-chlorophenyl)-1-methyl-1*H*-pyrazol-3-yl]-4-methyl-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
4-methyl-3-(2,4,6-trichloro-1-naphthyl)-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
3-(2-chlorophenyl)-4-methyl-5-[2-(trifluoromethoxy)phenyl]-4*H*-1,2,4-triazole;  
3-(2-bromophenyl)-5-(2-methoxyphenyl)-4-methyl-4*H*-1,2,4-triazole;  
3-(2,3-dichlorophenyl)-4-methyl-5-(2-methylphenyl)-4*H*-1,2,4-triazole;  
3-(2,3-dichlorophenyl)-5-(2-methoxyphenyl)-4-methyl-4*H*-1,2,4-triazole;  
3-(2-bromophenyl)-4-methyl-5-(2-methylphenyl)-4*H*-1,2,4-triazole;  
4-methyl-3-(2-methylphenyl)-5-[2-(trifluoromethoxy)phenyl]-4*H*-1,2,4-triazole;  
3-(2-chlorophenyl)-4-cyclopropyl-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;

3-(4-chloro-3-methoxy-2-naphthyl)-4-methyl-5-[(2-(methylthio)phenyl]-4*H*-1,2,4-triazole;  
3-[2-(4-chlorophenoxy)phenyl]-4-methyl-5-[(2-(methylthio)phenyl]-4*H*-1,2,4-triazole;  
3-[2-(4-chlorophenoxy)phenyl]-4-methyl-5-[(2-(methylsulfonyl)phenyl]-4*H*-1,2,4-triazole;  
3-(2-chlorophenyl)-5-(2,3-dichlorophenyl)-4-methyl-4*H*-1,2,4-triazole;  
3-(2-bromophenyl)-5-(2-chlorophenyl)-4-methyl-4*H*-1,2,4-triazole;  
3-[2-(4-fluorophenoxy)phenyl]-4-methyl-5-[2-(trifluoromethyl)phenyl]-4*H*-1,2,4-triazole;  
3-(2-chlorophenyl)-5-[2-chloro-3-(trifluoromethyl)phenyl]-4-methyl-4*H*-1,2,4-triazole; and  
4-[4-methyl-5-(1,2,3-trimethyl-1*H*-indol-5-yl)-4*H*-1,2,4-triazol-3-yl]phenol;  
or a pharmaceutically acceptable salt thereof.

21. (Withdrawn) A pharmaceutical composition comprising a compound in accordance with Claim 16 in combination with a pharmaceutically acceptable carrier.

22. (Withdrawn) A pharmaceutical composition comprising a compound in accordance with Claim 20 in combination with a pharmaceutically acceptable carrier.

23. (New) A compound of structural formula I or a pharmaceutically acceptable salt thereof useful for treating a condition responsive to inhibition of 11 $\beta$ -hydroxysteroid dehydrogenase-1 in a mammal in need thereof



wherein

each n is 0, 1, or 2;

each p is 0, 1, or 2;

R<sup>1</sup> is aryl or heteroaryl wherein heteroaryl is selected from the group consisting of

pyridyl,  
thienyl,  
furyl,  
pyrazolyl,  
thiazolyl,  
oxazolyl,  
imidazolyl,  
indolyl,  
benzothiophenyl,  
benzofuryl, and  
benzimidazolyl;

in which aryl and heteroaryl are substituted with one to four substituents independently selected from R<sup>3</sup>, R<sup>4</sup>, and R<sup>5</sup>;

R<sup>2</sup> is methyl;

R<sup>3</sup>, R<sup>4</sup>, and R<sup>5</sup> are each independently selected from the group consisting of

hydrogen,  
formyl,  
C<sub>1-6</sub> alkyl,  
C<sub>2-6</sub> alkenyl,  
(CH<sub>2</sub>)<sub>n</sub>-aryl,  
(CH<sub>2</sub>)<sub>n</sub>-heteroaryl,  
(CH<sub>2</sub>)<sub>n</sub>-heterocyclyl,  
(CH<sub>2</sub>)<sub>n</sub>C<sub>3-7</sub> cycloalkyl,  
halogen,  
OR<sup>7</sup>,  
(CH<sub>2</sub>)<sub>n</sub>N(R<sup>7</sup>)<sub>2</sub>,  
cyano,  
(CH<sub>2</sub>)<sub>n</sub>CO<sub>2</sub>R<sup>7</sup>,  
NO<sub>2</sub>,  
(CH<sub>2</sub>)<sub>n</sub>NR<sup>7</sup>SO<sub>2</sub>R<sup>6</sup>,  
(CH<sub>2</sub>)<sub>n</sub>SO<sub>2</sub>N(R<sup>7</sup>)<sub>2</sub>,  
(CH<sub>2</sub>)<sub>n</sub>S(O)<sub>p</sub>R<sup>6</sup>,  
(CH<sub>2</sub>)<sub>n</sub>SO<sub>2</sub>OR<sup>7</sup>,  
(CH<sub>2</sub>)<sub>n</sub>NR<sup>7</sup>C(O)N(R<sup>7</sup>)<sub>2</sub>,  
(CH<sub>2</sub>)<sub>n</sub>C(O)N(R<sup>7</sup>)<sub>2</sub>,  
(CH<sub>2</sub>)<sub>n</sub>NR<sup>6</sup>C(O)R<sup>6</sup>,  
(CH<sub>2</sub>)<sub>n</sub>NR<sup>6</sup>CO<sub>2</sub>R<sup>7</sup>,  
O(CH<sub>2</sub>)<sub>n</sub>C(O)N(R<sup>7</sup>)<sub>2</sub>,  
CF<sub>3</sub>,  
CH<sub>2</sub>CF<sub>3</sub>,  
OCF<sub>3</sub>,  
OCHCF<sub>2</sub>, and  
OCH<sub>2</sub>CF<sub>3</sub>;

wherein aryl, heteroaryl, cycloalkyl, and heterocyclyl are unsubstituted or substituted with one to three substituents independently selected from halogen, hydroxy, C<sub>1-4</sub> alkyl, trifluoromethyl, trifluoromethoxy, and C<sub>1-4</sub> alkoxy; and wherein any methylene (CH<sub>2</sub>) carbon atom in R<sup>3</sup>, R<sup>4</sup>, and R<sup>5</sup> is unsubstituted or substituted with one to two groups independently selected from halogen, hydroxy, and C<sub>1-4</sub> alkyl; or two substituents when on the same methylene (CH<sub>2</sub>) carbon atom are taken together with the carbon atom to which they are attached to form a cyclopropyl group;

each R<sup>6</sup> is independently selected from the group consisting of

C<sub>1-8</sub> alkyl,  
C<sub>2-4</sub> alkynyl,  
(CH<sub>2</sub>)<sub>n</sub>-aryl,  
(CH<sub>2</sub>)<sub>n</sub>-heteroaryl, and









$(CH_2)_n$  C3-7 cycloalkyl;


wherein alkyl and cycloalkyl are unsubstituted or substituted with one to five substituents independently selected from halogen, oxo, C1-4 alkoxy, C1-4 alkylthio, hydroxy, and amino; and aryl and heteroaryl are unsubstituted or substituted with one to three substituents independently selected from cyano, halogen, hydroxy, amino, carboxy, trifluoromethyl, trifluoromethoxy, C1-4 alkyl, and C1-4 alkoxy;

or two R<sup>6</sup> groups together with the atom to which they are attached form a 5- to 8-membered mono- or bicyclic ring system optionally containing an additional heteroatom selected from O, S, and NC<sub>0-4</sub> alkyl;

each R<sup>7</sup> is hydrogen or R<sup>6</sup>; and

wherein the compound of structural formula I is selected from the group consisting of:





and

